



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/584,063

06/22/2006

Yorihiko Wakayama

2006\_0926A

8966

52349

7590

01/27/2010

WENDEROTH, LIND & PONACK L.L.P.

1030 15th Street, N.W.

Suite 400 East

Washington, DC 20005-1503

EXAMINER

YANG, ANDREW GUS

ART UNIT

PAPER NUMBER

2628

MAIL DATE

DELIVERY MODE

01/27/2010

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/584,063	<b>Applicant(s)</b> WAKAYAMA, YORIIKO	
	<b>Examiner</b> ANDREW YANG	<b>Art Unit</b> 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 27 October 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-10 and 12-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 and 12-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 June 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                    | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5, 7-8, and 12-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Dowdell (U.S. Patent No. 5,301,263).

With respect to claim 1, Dowdell discloses a three-dimensional shape drawing device (column 7, lines 47-58, system in Fig. 3) for drawing a three-dimensional shape using a Z-buffer algorithm, the three-dimensional shape drawing device comprising: a depth value calculation section for calculating a depth value of a pixel to be drawn (column 3, lines 52-54, computer calculates new z-value); a high order Z-buffer memory for retaining high order bits of a depth value of a pixel to be displayed as a front face, the depth value of the pixel to be displayed as the front face being from among depth values calculated by the depth value calculation section (column 4, lines 45-50, most significant bytes from z-buffer memory); a low order Z-buffer memory for retaining low order bits of the depth value of the pixel to be displayed as the front face (column 4, lines 45-50, middle significant and least significant bytes from z-buffer memory), a number of the low order bits retained in the low order Z-buffer memory being equal to or larger than a number of the high order bits retained in the high order Z-buffer memory (column 4, lines 45-50, middle significant bytes and least significant bytes comprise low

Art Unit: 2628

order bits, which are equal to or greater than the number of high order bits from the most significant byte); a high order bit comparing section for reading the high order bits retained by the high order Z-buffer memory and comparing the read high order bits with high order bits of the depth value calculated by the depth value calculation section (column 4, lines 61-68, column 5, lines 1-14, comparator 114 in Fig. 1 compares old and new z-values); a low order bit comparing section for, when a result of a the comparing performed by the high order bit comparing section indicates that the high order bits of the depth value calculated by the depth value calculation section have a same value as the high order bits of the depth value of the pixel to be displayed as the front face retained by the high order Z-buffer memory, (i) reading the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory and (ii) comparing the read low order bits with low order bits of the depth value calculated by the depth value calculation section (column 5, lines 15-41, comparing lower order bits if high order bits are equal); and a record update section for, when the result of the comparing performed by the high order bit comparing section indicates that a depth indicated by the high order bits of the depth value calculated by the depth value calculation section is shallower than a depth indicated by the high order bits of the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory, (i) updating the high order bits of the depth value of the pixel to be displayed s the front face and retained by the high order Z-buffer memory and (ii) the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, by using the depth value calculated by the

Art Unit: 2628

depth value calculation section (column 5, lines 5-10, updating the entire 24 bit new z-value), and for, when a result of a comparison performed by the low order bit comparing section indicates that a depth indicated by the low order bits of the depth value calculated by the depth value calculation section is shallower than a depth indicated by the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, updating the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory by using the depth value calculated by the depth value calculation section (column 5, lines 19-23, column 5, lines 33-36).

With respect to claim 2, Dowdell discloses the three-dimensional shape drawing device according to claim 1, further comprising: a pixel value calculation section for calculating a pixel value, which is information about the pixel to be drawn (column 8, lines 59-68, color update unit 314); and an image memory for retaining the pixel value calculated by the pixel value calculation section (column 9, lines 1-3, frame buffer 315).

With respect to claim 3, Dowdell discloses the three-dimensional shape drawing device according to claim 2, wherein the pixel value calculation section calculates the pixel value when the result of the comparing performed by the high order bit comparing section indicates that the depth indicated by the high order bits of the depth value calculated by the depth value calculation section is shallower than the depth indicated by the high order bits of the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory and when the result of the comparing performed by the low order bit comparing section indicates that the low order bits of the

Art Unit: 2628

depth value calculated by the depth value calculation section have a same value as the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory (column 8, lines 12-21, as a result of whether or not the new z-value has replaced the old z-value, lines 59-62).

With respect to claim 4, Dowdell discloses the three-dimensional shape drawing device according to claim 1, wherein the low order bit comparing section updates the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory when the low order bits calculated by the depth value calculation section have a same value as the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory (column 5, lines 38-41, in the case where the old 24 bit z-value is equal to the new 24 bit z-value, the new value is equal to the old value and already written to memory, thus the low order bits have been updated).

With respect to claim 5, Dowdell discloses the three-dimensional shape drawing device according to claim 1, wherein, when the result of the comparing performed by the low order bit comparing section indicates that the low order bits calculated by the depth value calculation section have a same value as the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, the high order bit comparing section performs, for a next pixel, a comparison of high order bits of depth values (column 3, lines 38-42, updating operation is performed for a given pixel, and continues to the next pixel for until all pixels have been processed).

With respect to claim 7, Dowdell discloses the three-dimensional shape drawing device according to claim 1, further comprising: a high order Z-buffer clearing section for initializing the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory; and a low order Z-buffer clearing section for initializing the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory (column 4, lines 27-31, new z-value is compared to a constant value, thus the depth value must have been initialized to said constant value, which includes the high order and low order bits).

With respect to claim 8, Dowdell discloses the three-dimensional shape drawing device according to claim 1, wherein, when the depth indicated by the high order bits of the depth value calculated by the depth value calculation section is determined to be shallower than the depth indicated by the high order bits of the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory, the high order bit comparing section adds a flag to the high order bits of the depth value calculated by the depth value calculation section, wherein, when the depth indicated by the low order bits of the depth value calculated by the depth value calculation section is determined to be shallower than the depth indicated by the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, the low order bit comparing section adds a flag to the low order bits of the depth value calculated by the depth value calculation section, and wherein, when the flag is added to the high order bits of the depth value calculated by the depth value calculation section, the record update section updates the high order bits of the depth

Art Unit: 2628

value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory and the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, and when the flag is added to the low order bits of the depth value calculated by the depth value calculation section, the record update section updates either (i) only the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, or (ii) both the high order bits of the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory and the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory (column 4, lines 61-68, column 5, lines 1-41). It is noted that Dowdell does not explicitly disclose the use of a “flag” for signifying when to update the high order and low order bits; however, a flag is merely a variable associated with the result of the comparison of the high and low order bits. Therefore, Dowdell discloses using at least a variable for determining whether further bits are retained as by the “done” state in Fig. 2.

With respect to claim 12, Dowdell discloses a three-dimensional shape drawing method for drawing a three-dimensional shape using Z-buffer algorithm, the three-dimensional shape drawing method comprising: calculating a depth value of a pixel to be drawn (column 3, lines 52-55, calculated from computer); reading high order bits from a high order Z-buffer memory retaining high order bits of a depth value of a pixel to be displayed as a front face, the depth value of the pixel to be displayed as the front face being from among depth values calculated by the calculating of the depth value



Art Unit: 2628

(column 4, lines 45-50, most significant bits), and comparing the high order bits read by the reading with high order bits of the depth value calculated by the calculating of the depth value of the pixel to be drawn (column 4, lines 61-68, column 5, lines 1-14, comparing most significant byte); when the high order bits of the depth value calculated by the calculating of the depth value are determined, by the comparing of the high order bits, to have a same value as the high order bits of the pixel to be displayed as the front face and retained by the high order Z-buffer memory, (i) reading low order bits from a low order Z-buffer memory retaining low order bits of the depth value of the pixel to be displayed as the front face, a number of the low order bits retained in the low order Z-buffer memory being equal to or larger than a number of the high order bits retained in the high order Z-buffer memory (column 4, lines 45-50, middle significant bytes and least significant bytes comprise low order bits, which are equal to or greater than the number of high order bits from the most significant byte), and the depth value of the pixel to be displayed as the front face being from among the depth values calculated by the calculating of the depth value, and (ii) comparing the read low order bits with low order bits of the depth value calculated by the calculating of the depth value (column 5, lines 15-27); and updating the high order bits of the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory and the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, using the depth value calculated by calculating of the depth value, when a depth indicated by the high order bits of the depth value calculated by the calculating of the depth value is determined, by the comparing of the high order

Art Unit: 2628

bits, to be shallower than a depth indicated by the high order bits of the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory (column 5, lines 5-10), and updating the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory using the depth value calculated by the calculating of the depth value when a depth indicated by the low order bits of the depth value calculated by the calculating of the depth value is determined, by the comparing of the low order bits, to be shallower than a depth indicated by the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory (column 5, lines 16-23).

With respect to claim 13, Dowdell discloses the three-dimensional shape drawing method according to claim 12, wherein when, at the comparing of the low order bits, the low order bits calculated by the calculating of the depth value are determined to have a same value of the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, the low order bits retained by the low order Z-buffer memory are updated (column 5, lines 38-41, in the case where the old 24 bit z-value is equal to the new 24 bit z-value, the new value is equal to the old value and already written to memory, thus the low order bits have been updated).

With respect to claim 14, Dowdell discloses the three-dimensional shape drawing method according to claim 12, wherein when, at the comparing of the low order bits, the low order bits calculated by the calculating of the depth value are determined to have a same value of the low order bits of the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory, a comparison of high order

Art Unit: 2628

bits of depth values is performed for a next pixel (column 3, lines 38-42, updating operation is performed for a given pixel, and continues to the next pixel for until all pixels have been processed).

With respect to claim 15, Dowdell discloses the three-dimensional shape drawing method according to claim 12, further comprising: initializing the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory; and initializing the depth value of the pixel to be displayed as the front face and retained by the low order Z-buffer memory (column 4, lines 27-31, new z-value is compared to a constant value, thus the depth value must have been initialized to said constant value).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 9-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dowdell (U.S. Patent No. 5,301,263) in view of Narayanaswami (U.S. Patent No. 6,160,557).

With respect to claims 9-10, Dowdell discloses the device of claims 1 and 9, respectively, wherein the high order bits and the low order bits are respectively stored in the high order Z-buffer memory and the low order Z-buffer memory and has the same configuration as the high order Z-buffer memory (column 3, lines 44-46, register 104 and 108 in Fig. 1 each store high order and low order bits in the form of the z-value, and

Art Unit: 2628

each individual register is a single memory having the same configuration). However, Dowdell does not expressly disclose the high order bits and the low order bits are respectively stored in the high order Z-buffer memory and the low order Z-buffer memory which is physically separated from the high order Z-buffer memory, the high order bits and the low order bits being separated as different bit strings.

At the time of the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to modify Dowdell to use memory that is physically separable because Applicant has not disclosed that using physically separable memory provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with using one memory (Applicant's specification, page 25, paragraph 58) because the high order bits and low order bits are separately recorded at different addresses in one memory.

Therefore, it would have been an obvious matter of design choice to modify Dowdell to obtain the invention as specified in claims 9-10.

Narayanaswami, who also deals with using a z-buffer, discloses a method for using a bit string (column 10, lines 3-14).

Dowdell and Narayanaswami are in the same field of endeavor, namely computer graphics.

At the time of the invention, it would have been obvious to one skilled in the art to combine the method of using a bit string for storing data as taught by Narayanaswami with the Dowdell reference, because this would facilitate comparing bits of data.

Claims 6 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dowdell (U.S. Patent No. 5,301,263) in view of Andrews (U.S. Patent No. 7,030,887).

With respect to claim 6, Dowdell discloses the three-dimensional shape drawing device according to claim 1, further comprising a high order Z-buffer clearing section for initializing the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory with a predetermined value (column 4, lines 27-31, new z-value is compared to a constant value, thus the depth value must have been initialized to said constant value). However, Dowdell does not expressly disclose, wherein the predetermined value indicates a shallowest depth value or a deepest depth value.

Andrews, who also deals with using a z-buffer, discloses a method for initializing a z-buffer to its smallest value (column 11, lines 13-18).

Dowdell and Andrews are in the same field of endeavor, namely computer graphics.

At the time of the invention, it would have been obvious to one skilled in the art to initialize a z-buffer to its smallest value, which indicates shallowest depth, as taught by Andrews because this would provide a boundary value for performing a depth comparison.

With respect to claim 16, Dowdell discloses the three-dimensional shape drawing method according to claim 12. However, Dowdell does not expressly disclose further comprising the step of initializing the depth value of the pixel to be displayed as the front face and retained by the high order Z-buffer memory with a predetermined value,

Art Unit: 2628

wherein the predetermined value indicates a shallowest depth value or a deepest depth value.

Andrews, who also deals with using a z-buffer, discloses a method for initializing a z-buffer to its smallest value (column 11, lines 13-18).

Dowdell and Andrews are in the same field of endeavor, namely computer graphics.

At the time of the invention, it would have been obvious to one skilled in the art to initialize a z-buffer to its smallest value, which indicates shallowest depth, as taught by Andrews because this would provide a boundary value for performing a depth comparison.

### ***Response to Arguments***

Applicant's arguments filed October 27, 2009 have been fully considered but they are not persuasive. Applicant argues that amended claims 9-10 are supported by paragraph 58 of the specification. However, there is nothing to be found in the specification regarding the high order bits and low order bits separated as bit strings.

Applicant argues that Dowdell fails to disclose or suggest a number of the low order bits is equal to or larger than a number of the high order bits retained in the high order Z-buffer memory. However, Dowdell discloses, middle significant bytes and least significant bytes comprising low order bits, which is equal to or greater than the number of high order bits from the most significant byte (column 4, lines 45-50). Each byte is equal to eight bits, thus the least significant byte and the combination of the middle

significant byte is at least equal to or greater than the number of bits from the most significant byte, otherwise known as the high order bits.

***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANDREW YANG whose telephone number is (571)272-5514. The examiner can normally be reached on 8:30-5 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ulka Chauhan can be reached on (571)272-7782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2628

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AGY

1/14/10

/Ulka Chauhan/  
Supervisory Patent Examiner, Art Unit 2628